


600X600MM  
GVT/PGVT




600X600MM  
GVT/PGVT

2.0  
Glossy  
Shine Your Brightest

## ABOUT SURFACE

Glossy Surface Surface with bright and shiny finish. Their surface give bounce light all around the space. Glossy floor tiles and wall tiles are excellent option for creating more lighting and glazing for each space.

This surface is smooth nature of the tiles makes it very easy to clean them with just one swipe using a damp mop. Due to their ability to resist stains and scratches glossy tiles are a great choice for bathroom and kitchen walls and backsplashes. these tiles also come in a wide range of colors, and designs that one can choose from.



CONSISTENT  
COLORS AND  
VEINING

MAINTAINS  
ITS BEAUTY  
OVER TIME

RESISTANT TO  
ACIDS AND  
DETERGENTS

WEAR  
RESISTANT TO  
FOOT TRAFFIC

HIGHLY  
DURABLE  
BODY

EASY TO  
INSTALL  
AND DRILL



**We provide comfort, beauty, and mode.**

**Let the level speak about your class.**



# APPLICATIONS



RESIDENTIAL

CORPORATE OFFICES

PUBLIC PLACES

HOTELS & RESTAURANTS

MALLS & SHOPS

SHOWROOMS

HEAVY TRAFFIC AREA

The application of marble-inspired GVT is extensive due to the premium quality it encompasses. The tiles can be installed in many spaces including residential spaces, public spaces, showrooms, heavy traffic areas, and a lot more.

SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7001




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7002




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7003






SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7004





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7005



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7006




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7007



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7008




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7009




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7010



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7011






SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7012





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7013



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7014




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7015





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7016



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7017




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7018




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7019






SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7020





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7021




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7022




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7023





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7024



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7025




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7026





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7027





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7028




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7029



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7030



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7031




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7032




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7033




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7034





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7035






SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7036




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7037




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7038





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7039




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7040



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7041



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7042







SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7043





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7044



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7045




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7046





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7047



SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7048




SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7049





SIZE  
600X  
600MM

FINISH  
GLOSSY  
FINISH

RANDOM  
**01**

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7050



## Quality Standards

Standards according to ISO 13006:Annex G-EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bia (Eb < 0.5%)

Technical Feature	Test Method	Requirements		Values	
		%	mm	%	mm

### A. Dimensions and Surface Quality

Length and Width	UNI EN ISO 10545-2	± 0.6%	± 2.0	± 0.20%	± 1.0
Thickness		± 5.0%	± 0.5	± 4.00%	± 0.4
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage		± 0.5%	± 2.0	± 0.10%	± 0.5
		± 0.5%	± 2.0	± 0.10%	± 0.5
Surface Quality	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.			<b>Compliant</b>	

### B. Physical Properties

Water Absorption	UNI EN ISO 10545-3	Eb 0.5% Individual maximum : 0.6% (absorbed water mass)	Eb 0.1% (absorbed water mass)
Breaking Strength	UNI EN ISO 10545-4	Min. 1300 N	1700 N
Modulus of Rupture		Average minimum 35 N/mm Individual minimum 32 N/mm	37 N/MM
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100c	UNI EN ISO 10545-8	Required	6x10 k max
Scratch Hardness (Mohs Scale)	EN 101	Declared by the manufacturer	3 to 6 Depends on Finish & color
Crazing Resistance	UNI EN ISO 10545-11	Declared by the manufacturer	4 Cycle Pass

### C. Chemical Properties

Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5
Resistance to Household Chemicals and Swimming Pool Salts	UNI EN ISO 10545-13	Minimum GB	GA
Resistance to Low Concentrations of Acids and Alkalis		To be reported	GLA
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible prospective customers are advised to inspect a sample of the tile before placing the order. Ever effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change /alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature once tiles are laid.



Thank You